

MCWN

MCWN "NINJA" SERIES SINGLE SECURITY SUSPENDED CRANE SCALES



Easy to use and reliable professional digital <u>crane</u> <u>scales</u>, for weighing in industrial environments, fitted with protective transport case.

The single security system makes them suitable for lifting and weighing the load.

Thanks to their compact size, these crane scales just slightly reduce the lifting distance of the crane. Available also CE-M APPROVED. Fitted with test certificate obtained with standard weights.

The best solution for advanced industrial applications

MAIN FEATURES

- Single security system, for the lifting and the weighing of the load.
- In compliance with the directives 2006/42 CE, UNI EN 13155/2009, UNI EN 13889, 2014/30/EU.
- Fitted with the following upper and lower shackle:

GR3 for MCWNT1

GR6 for MCWNT3

GR6 for MCWNT6

GR9 for MCWNT9.

- Compact size and minimum distance between upper and lower shackle.
- 25 mm LCD backlit display, easily visible in any lighting condition.
- Precision: +/- 0.03% on MAX.
- 5-key waterproof keypad: Zero, semi automatic or preset Tare, Mode, Print, On/Off.
- Sturdy case in oven-fire painted steel.
- Fitted with infrared remote control for up to 8m distance use. The remote control can be configured by the customer as a single automatic tare or as a remote keypad.
- Power supply through 4 AA batteries, which may be rechargeable (operating time of about 40 hours).
- Digital calibration and programmable Set-Up directly from the keypad or from the PC with Dinitools.
- Programmable digital filter and auto switch-off.
- Operating temperature: -10 /+40 °C.
- RS232 serial port on RJ11 connector for quick programming with Dinitools.
- Fitted with protective transport case with dimensions (WxLxH) 175x480x390mm.

OPTIONS (ONLY AT TIME OF ORDER)

- 868Mhz radio interface
- Bluetooth Interface





Side view.

DETAIL 3



DETAIL 4

CODE	WEIGHT (kg)		
	WITHOUT PACKAGING	WITH PACKAGING	
MCWNT1	8	11	
MCWNT3	10	14	
MCWNT6	11	15	
MCWNT9	15	18	

Protective transport case

VERSIONS

Available versions Max d						
	Codice	(kg)	(kg)	(kg)		
	MCWNT1-3	300/600/1500	0,1/0,2/0,5			
	MCWNT1M-3 M	1500		0,5		
	MCWNT3-3	600/1500/3000	0,2/0,5/1			
	MCWNT3M-3 M	3000		1		
	MCWNT6-3	1500/3000/6000	0,5/1/2			
	MCWNT6M-3 M	6000		2		
	MCWNT9-3	3000/6000/9500	1/2/5			
	MCWNT9M-3 ™	9000		5		





DINI ARGEO FRANCE sarl Nogent-sur-Marne info.fr@diniargeo.com DINI ARGEO GMBH Sinsheim - Germany info.de@diniargeo.com DINI ARGEO
UK Ltd
Taunton - United Kingdom
info.uk@diniargeo.com

DINI ARGEO WEIGHING INSTRUMENTS Ltd Shanghai - China info.cn@diniargeo.com DINI ARGEO WEIGHBRIDGES Calto (RO) – Italy info@diniargeo.com









HEAD OFFICE

Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418 Fax. +39.0536 843521 info@diniargeo.com

SERVICE ASSISTANCE

Via Dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 921784 Fax. +39.0536 926654 service@diniargeo.com

:	
:	
•	
<u> </u>	
•	
•	
■	
-	
I	
I	
:	
:	
:	SALES AND TECHNICAL ASSISTANCE SERVICE
(